



Bollard LED Upgrade

ANP Lighting enhances our most popular bollards with a new LED source.



BL6011



BL6021



BL6031



BL6041



BL6061

[Click here to view bollards on ANPLighting.com](http://ANPLighting.com)

LED Array Specifications

LED Array maintains performance while providing improvements to distribution patterns & lumen outputs. Updated bollard photometry is now available on ANPlighting.com, for all distributions and color temperatures.



[Click here to view photometry on ANPlighting.com](http://ANPlighting.com)

10W

Up to 746 delivered lumens
Up to 110 lumens per watt

18W

Up to 1,981 delivered lumens
Up to 110 lumens per watt

32W

Up to 3,572 delivered lumens
Up to 110 lumens per watt

Distribution patterns: Type I, II, III and V

Color temperatures: 2700K, 3000K, 3500K, 4000K

Available lenses: Frosted acrylic, clear acrylic

IP66 light engine construction

Dimming down to 10%

20kA surge protection

RoHs compliant

CRI: 70 - 80

MADE IN THE U.S.A | A FAMILY OWNED BUSINESS

Make ANP your first choice to explore a wide variety of architectural products for both indoor and outdoor environments with the most efficient and flexible LED technologies.

[Click here to visit ANPLighting.com](https://www.anplighting.com)

Follow us: @anplighting



ANP Lighting Products can now be found on [CADdetails.com](https://www.CADdetails.com)

© 2021 ANP Lighting, Inc. All rights reserved.
Phone: 1-800-548-3227 Website: www.ANPlighting.com

Share this email:



emma

[Manage](#) your preferences | [Opt out](#) using TrueRemove™

Got this as a forward? [Sign up](#) to receive our future emails.

View this email [online](#).

9044 Del Mar Avenue
Montclair, CA | 91763 US

This email was sent to .

To continue receiving our emails, add us to your address book.

[Subscribe](#) to our email list.