

## **Improved LED Module Technology For RLM & Decorative Pendants**

---



Flat Lens CREE Module  
(85% Beam)



Flat Lens CREE Module  
(105% Beam)

Module Tech Specs

---

## **New Features**

Industry leading 125 lumens per watt.

0-10 volt, TRIAC or ELV dimming protocol standard.

120 thru 277-volt universal voltage input.

DC voltage input on some models.

## Additional Features

2700K, 3000K, 3500K, OR 4000K CCT.

5-year warranty on LED components.

50,000 hours at L70.

90 CRI.

---

Not sure about the dimming requirements on your current project? No worries, ANP Lighting products powered by Cree modular light engines will accept 0-10 volt, TRIAC or ELV dimming protocols as a standard feature. If the protocol changes, the lighting spec will stay the same. Dimming to 1% and universal voltage are standard as well.

---

## PROUDLY MADE IN THE U.S.A.



Make ANP your first choice to explore a wide variety of architectural products for both indoor and outdoor environments with the most efficient and flexible LED technologies.

[View Our Website](#)

Share this email:



[Manage](#) your preferences | [Opt out](#) using TrueRemove®

Got this as a forward? [Sign up](#) to receive our future emails.

View this email [online](#).

9044 Del Mar Avenue  
Montclair, CA | 91763 US

This email was sent to .

*To continue receiving our emails, add us to your address book.*

**emma**®

[Subscribe](#) to our email list.